



Katye Martens/The Pew Charitable Trusts

Using Data to Measure Performance

A new framework for assessing the effectiveness of home visiting

Contents

- 1 Overview
- 2 Performance indicators
 - Maternal health and achievement indicators 3
 - Child health, development, and safety indicators 5
 - Parental skills and capacity indicators 6
- 6 Descriptive factors
- 8 Data development agenda
 - Parental capacity 9
 - Child development 9
- 10 Enhancing data quality and utility
 - Strategies for strengthening rigor 10
- 11 Conclusion
- 12 Appendix: Indicator tables
- 21 Endnotes

The Pew Charitable Trusts

Susan K. Urahn, *executive vice president*

Alexis Schuler, *senior director*

The Data for Performance Initiative

Karen Kavanaugh, *director*

Mimi Aledo-Sandoval, *senior associate*

Danita Moses, *administrative assistant*

Acknowledgments

The project team would like to acknowledge and thank the Data for Performance Initiative consultants, Deb Daro, Kay Johnson, and Sacha Klein, for their invaluable expertise, skillful facilitation, and collaboration.

We also thank those who served on our expert advisory panel, who provided critical insight and feedback on the development of the performance indicators.

We also recognize and extend our gratitude to the Data for Performance Initiative working group for its commitment to the project and insight into state and local performance monitoring, and to the national home visiting models that provided important perspectives on program implementation.

We thank Jennifer V. Doctors and Jennifer Stapleton for providing constructive feedback on the report, and Kate Starr and Steve Howard for their design and production assistance.

We acknowledge the late Mark Chaffin, Ph.D., for his significant contributions and valuable insights to the Data for Performance Initiative and the field of home visiting.

Contact: Jennifer Stapleton, communications officer

Email: jstapleton@pewtrusts.org

Project website: pewtrusts.org/homevisiting

The Pew Charitable Trusts is driven by the power of knowledge to solve today's most challenging problems. Pew applies a rigorous, analytical approach to improve public policy, inform the public, and invigorate civic life.

Overview

Across the country, state legislatures are turning to evidence-based policymaking to ensure that taxpayer dollars are spent efficiently and effectively. One example is family support and coaching. In response to research confirming that the early years of childhood affect learning, behavior, and health for a lifetime, many states have invested in these programs, commonly referred to as “home visiting.” Evidence shows that families that participate in home visiting programs, which focus on strengthening vulnerable families with children under age 5, are often more self-sufficient and better able to handle the challenge of parenting and to raise healthier, safer children.¹

However, for many reasons, including differences in family needs, culture, and the availability of supportive community services, past evidence of effectiveness alone does not necessarily lead to positive outcomes. Evidence must play an essential role throughout the life of the program, from legislation and planning to design and implementation. Ongoing performance monitoring is vital to understanding whether desired family and child outcomes are being realized. Several states have passed legislation to make home visiting programs more effective and accountable by requiring the agencies that oversee them to set goals and measure results.



Ongoing performance monitoring is vital to understanding whether desired family and child outcomes are being realized.”

Until recently, however, performance measures for home visiting have been used primarily not to assess outcomes, but instead to track “inputs”—the number of visits, basic client demographics, and completed tasks such as screenings for depression. This type of data, while helpful for understanding client characteristics and what services are being delivered, provides little insight into program effectiveness. Not all family support and coaching models and programs are the same; they vary in focus, content, and target population, and states typically invest in more than one approach, including promising and locally developed programs, designed to address specific state priorities. This can make it difficult to determine the overall impact of a state’s investment in family support and coaching.

To help overcome this challenge, several states joined with The Pew Charitable Trusts beginning in 2013 to develop the Home Visiting Data for Performance Initiative, the first significant effort to promote common performance measures that states can adopt to determine whether their goals are being achieved across a portfolio of home visiting programs. It identified key indicators in three areas—maternal health and achievement; child health, development, and safety; and parental skills and capacity—as well as descriptive factors, which include demographic, geographic, and basic service-delivery information about participants.

These indicators focus on achievable results and build on data that states and programs are already collecting. To effectively monitor performance, they include measures of both outcomes and the processes used to reach them and are based on a recognition that measurement methodologies will become more sophisticated as state efforts mature.

The initiative also emphasizes key strategies for enhancing the quality and usefulness of states’ data, including collecting raw—as opposed to only aggregated—data at the participant level and doing so at multiple intervals, as well as comparing parent and child outcomes with those of similar families not receiving services.

This report outlines the indicators developed by the initiative as well as key descriptive factors that state and local managers can use to form a clearer picture of family and child outcomes, who is being served, and the availability of other community supports. With this information, they can, in turn, provide the most effective services for all families, to support parents in promoting their children's healthy emotional, social, physical, and cognitive development.

Criteria for the Selection of Indicators

A panel of experts with extensive knowledge of the research literature on home visiting as well as practical experience with performance measurement, and with input from state agency representatives, developed criteria for use in selecting the recommended indicators. To be included in this report, measures must:

- Be universally applicable across models and programs (with the exception of prenatal vs. postnatal enrollment).
- Be achievable by the program rather than aspirational or heavily dependent on the performance of others.
- Resonate with policymakers and the engaged public.
- Reflect an important policy goal worthy of public investment.
- Capitalize on available state administrative data, thereby reducing the data collection burden on local programs.

Performance indicators

The recommended indicators are intended to improve decision-making in regard to programs, policies, and funding, so they needed to be easily understandable for policymakers and the engaged public. Likewise, the measurement approaches and recommendations for enhancing data quality and utility had to be as methodologically rigorous as possible, to make the data and findings credible and reliable.

The indicators reflect a mixture of process and outcome measures because, although outcome indicators that capture the results of an intervention's effect on participants are preferable, reliable data may not always be available. In that context, process measures have value because they track important steps assumed to contribute to the participant-level results. For example, because screenings are critical to identifying and treating depressive symptoms in new mothers, ensuring that participating women are assessed is vital to reducing maternal depression.

In particular areas, programs have substantial influence over the process but exert limited control over the corresponding outcome. For example, family support and coaching programs make referrals to community mental health providers but have little power over the availability of services or the effectiveness of any treatment received. In these instances, the initiative recommended indicators that are process rather than outcome measures.

Despite the diversity of program designs, target populations, service durations, and provider credentials, most programs' primary objectives are to:

- Cultivate parents' ability to form strong, positive attachments with their children and to keep them safe.
- Promote children's healthy physical, cognitive, and social-emotional development by monitoring their progress, guiding parents in recognizing their children's and their own needs, and accessing appropriate services.
- Improve maternal and child health.

By using the following performance indicators, states can assess whether programs are meeting these primary objectives. As noted in the criteria, the indicators focus on outcomes and activities that are under the direct and immediate control of family support and coaching programs rather than any long-term aspirational goals for participating children and families. For additional information on these indicators, see the Appendix.

Maternal health and achievement indicators

Maternal depression screening and referral

Maternal depression and stress negatively affect the entire family and strain relationships. A lack of maternal engagement and bonding early in an infant's life can stunt the child's long-term health and learning. Researchers have found that between 28 percent and 61 percent of mothers in home visiting programs have clinically elevated symptoms of depression at some point during their participation.²

Although evidence is limited that family support and coaching programs alone can significantly decrease symptoms of clinical depression, family support providers who build trusting relationships with mothers are better able to identify women struggling with depression, connect them to mental health services, reduce new parents' sense of isolation, and improve their ability to ask for help when they feel overwhelmed.³

To maximize the potential benefits that programs can yield, it is critical that home visiting programs screen for maternal depression. States should measure whether these screenings take place and how many mothers identified as having symptoms receive referrals for services in the community.

Postpartum health care visit

Following the child's birth, a mother receives a checkup from her health provider who examines her physical recovery from pregnancy and delivery, assesses her emotional state, and gives her health guidance for herself and her baby. This postpartum health care visit is critical to identifying any potential risks for a woman's health and any future pregnancies.

The use of postpartum visits is below expected levels generally, but among low-income, uninsured, and Medicaid-enrolled women, less than three-quarters receive the recommended visit.⁴ For women with a previous poor pregnancy outcome, such as premature birth and low birth weight, the postpartum visit is especially important. Home visiting programs encourage postpartum visits and timely follow-up and increase awareness of the value associated with obtaining regular primary health care.

Interbirth interval

An interbirth interval—the length of time between births—of less than 18 months is significantly associated with increased risk of adverse maternal and infant health outcomes, including low birth weight, preterm birth, obstetrical complications, and infant mortality. Studies also suggest a positive association between longer

intervals and maternal educational achievement, employment, and family self-sufficiency, particularly among teen mothers who had not completed high school when their first child was born.⁵ Teens who have a subsequent pregnancy before they are able to complete high school find it increasingly difficult to accomplish their educational goals.

Family support providers discuss with mothers the effects of birth spacing. States need to track birth intervals to determine if program efforts are having positive effects.

Maternal educational achievement

Maternal educational achievement contributes to an array of good outcomes for both the mother and her infant. Increased education is associated with higher earning potential and better odds for family self-sufficiency. Maternal educational achievement has also been shown to have positive effects on child development outcomes, such as cognitive development and future performance in school.

Home visiting programs work with families to identify education, training, and employment goals, create plans for achieving those goals, and connect parents to the resources they need. States should measure whether mothers pursue high school or GED completion after enrolling in a home visiting program.



A mother, son, and family support provider focus on early literacy skills.

Child health, development, and safety indicators

Child development screening and referral


During the first three years of life, the foundations for communication, movement, and social and emotional functioning are formed. Identification of developmental delays and referral to appropriate early intervention services are key to mitigating the long-term impacts or severity of physical or cognitive impairments. Early treatment increases the effectiveness of interventions and reduces long-term costs.

Most home visiting programs conduct developmental screenings to identify children at risk for delays and refer children for additional diagnostic assessments, evaluations, and treatment when screening uncovers possible problems. Programs also reinforce the importance of timely follow-up and teach parents developmentally appropriate activities to address areas of concern. To ensure that these efforts are delivering the best results, states should measure whether screenings take place and how many children identified as needing additional intervention receive referrals.

Child development

Parents play a critical role in cultivating their children's physical and emotional well-being through their interactions and by creating a safe and nurturing physical environment. Helping parents with these objectives is an important component of early home visiting programs. By documenting, on a regular basis, how children are developing in key domains—including literacy, executive functioning, socio-emotional security, and fine and gross motor skills—family support providers gain critical information for improving program content, and states gain confidence in the ability of these investments to improve school readiness.

This indicator needs further development.

 These indicators focus on achievable results and build on data that states and programs are already collecting."

Child maltreatment

Incidents involving children under the age of 4 make up a disproportionately high percentage of child abuse and neglect reports. Infants are at the greatest risk for child maltreatment because they are completely dependent on their caregivers and more physically vulnerable. Prevention and reduction of child maltreatment through improvement in parenting skills, reduction of parenting stress, promotion of parent-child attachment, and early identification of risks are among the primary goals of home visiting.

Home visiting programs promote positive parenting behaviors, including problem solving and behavior management skills and understanding the importance of attending to children's needs. States should monitor programs to ensure that they lead to a decrease in abuse and neglect reports for participating children.

Well-child visits

To promote healthy development, experts recommend that infants receive seven checkups during the first year of life that include physical examinations, developmental screening, immunization, and guidance for parents on healthy development. Toddlers and preschoolers should receive an additional seven well-child visits before their

fifth birthdays. The visits are important for early detection of health or developmental issues, and home visitors can help families connect with health care providers and follow up on recommended actions. By tracking whether participating children are up-to-date on well-child visits, states can measure the effectiveness of these supports.

Maternal smoking or tobacco use

Smoking during pregnancy increases the risk of miscarriage, low birth weight, preterm birth, and birth defects, and smoking during and after pregnancy is associated with greater risk of sudden infant death syndrome. Although many women stop smoking during pregnancy, 40 percent begin again within six months after delivery,⁶ increasing children's exposure to secondhand smoke and their risk for ear infections and asthma attacks. Home visitors facilitate smoking cessation through education, support, and connections to treatment; measuring how many mothers quit using tobacco will allow states to gauge the efficacy of these efforts.

Parental skills and capacity indicators

Parental capacity

Parents are a child's first and best teachers. Although myriad issues will affect children's development, infants' earliest interactions with their parents have profound impacts on the emotional well-being, social skills, and language capacity that are important for success in school, work, and society. As such, building parents' capacity to meet this responsibility is a foundational goal of all home visiting. Through a variety of mechanisms, programs work to improve parents' understanding of how children develop and how best to nurture and guide them. To ensure that programs are accomplishing this objective, it is important to track if participants are forming strong parent-child attachment, gaining skills and knowledge, and demonstrating confidence in their ability to care for their children and keep them safe.

This indicator needs further development.

Breastfeeding

Breast milk provides the optimal nutrition for infants and contains immunological and anti-inflammatory properties that guard against illness. Studies suggest that breastfed children are significantly less likely than are their bottle-fed peers to be obese; develop asthma; have autoimmune diseases, such as Type 1 diabetes; and be diagnosed with childhood cancers.⁷ Moreover, infant feeding practices appear to be associated with cognitive ability during childhood: Full-term infants who are breastfed, as opposed to bottle-fed, score three to six points higher on IQ tests.⁸ Family support providers can influence the initiation and continuation of breastfeeding by promoting, teaching, and supporting nursing; states can maximize potential benefits by tracking how many mothers start and continue breastfeeding for at least three months.

States with a concentration of programs designed to focus on birth outcomes should also consider tracking low birth weight and preterm births.

Descriptive factors

In addition to obtaining information on outcomes, states need to know who is being served. To that end, the Home Visiting Data for Performance Initiative recommends that states collect data on at least the descriptive factors outlined in Table 1. Collecting these factors will help assess whether demographic differences are associated with variations in outcomes.

In particular, it is critically important to collect the dates of visits. This information can be used to answer questions such as “How long does a family need to be in a program before it is reasonable to expect a change in one of the indicators?” Participant race, ethnicity, and language data can help states determine whether their existing portfolios of home visiting programs are meeting the needs of diverse families. Location data (e.g., residential address or ZIP code) enable states to identify geographic service gaps and account for the role that community context plays in the capacity of programs and participants to achieve their goals. Program data can also provide useful information about how implementation affects outcomes.

Table 1
Descriptive Factors

Factors	
Child characteristics	Date of birth; full-term or preterm birth
Maternal characteristics	Date of birth; number of prior births; race; ethnicity; native language; whether mother was in contact with the father at time of program enrollment; residential address or ZIP code
Participant service characteristics	Date of first home visit; date of subsequent home visits; date and reason for termination of enrollment, including successful transitions and early terminations
Program data	Number of home visits; supervisor-to-home-visitor ratio; average caseload
Model or program	Site

© 2015 The Pew Charitable Trusts

Target child’s date of birth. Collecting this information would allow states to understand the approximate age at which children are being enrolled, including whether they are enrolled prenatally or post-natally. It would also let states know how many children received home visits before 3 months or 6 months of age.

Continued on next page

Participating parent's date of birth. Collecting this information would allow states to determine the numbers of teen and young teen (those 16 or younger) parents enrolled in the program.

First-time parent. This is a yes or no variable for each participant. Some evidence suggests that first-time parents may have fewer risk factors such as prior involvement with the child welfare system or the stresses associated with caring for multiple children. This variable would allow states to determine the relative risk levels across the participating population.

Date of each home visit. These data could be used to determine the total number of home visits a participant received during the reporting period, the time between each home visit, and the participant's total duration in the program (if measured as the time between the first and last home visit). This variable could also be used to determine whether the average length of time between visits for a given program's caseload is increasing or decreasing. Assuming that a program's caseload includes a similar proportion of new and continuing participants, a notable increase in time between home visits may offer an early indication of difficulty in the service delivery process.

Date and reason for service termination. This descriptive factor would require each program to provide documentation as to the official date services were terminated for a participant and the reason for termination. Reasons could include:

- Participant successfully completed the program, or staff determined that the family no longer needed services.
- Participant moved out of the service area.
- Participant refused further services (explicit refusal).
- Participant could not be located or did not respond to repeated offers of assistance (implicit refusal).
- Other.

Data development agenda

Improving parents' capacity to form strong, positive attachments with their children and enhancing healthy child development are key objectives of home visiting. However, considerable variation exists in how programs define and support them. Therefore, identifying reliable and valid measures that can be applicable across programs is essential to understanding the effects of home visiting.

Standardizing these measures will also help states assess the effectiveness of other childhood interventions in enhancing parental capacity and supporting healthy child development. These two objectives are central to a range of parenting education programs, early care and education, early intervention services; and family support services. Securing agreement on how best to define and monitor change in these areas will improve states' ability to effectively and efficiently direct their investments.

Parental capacity

Experts generally identify four areas of parental capacity for measurement: parent-child attachment, the presence and growth of protective factors, specific parenting skills and knowledge, and general parental efficacy.

However, none of the measurement approaches commonly employed by programs capture this full scope in a standardized manner. Several of the tools programs use to assess parental capacity—such as the Parenting Interactions with Children: Checklist of Observations Linked to Outcomes, the Keys to Interactive Parenting Scale, and the Dyadic Assessment of Naturalistic Caregiver-child Experiences—focus on the quality of the parent-child interaction and the degree to which parents are able to nurture and support their child’s healthy development and learning. Others, such as the Healthy Families Parenting Inventory and the Protective Factors Survey, examine a range of skills parents may have (e.g., child development knowledge, emotional well-being) as well as situational challenges, such as the quality of the home environment or access to social supports, that enhance or limit their capacity to meet their child’s needs.

In addition to their different focuses, some tools are observational while others rely on participant self-reporting. Any approach adopted by the home visiting field should capture the multiple elements of parental capacity listed above, discern meaningful differences in the ability of participants to meet their parenting responsibilities at the time they enroll in home visiting services, document program impacts over time, and be mindful of placing a data burden on the parent-provider relationship.

 Past evidence of effectiveness alone does not necessarily lead to positive outcomes.”

Child development

In the case of child development, several tools are available to measure the physical, cognitive, and social-emotional status of children. However, the cost, time, and level of training required to administer these tools are inappropriate for home visitors, who are frequently paraprofessionals with demanding caseloads. Moreover, the screening tools typically used by home visitors in the field are sufficient only to capture a snapshot of a child’s development but are not diagnostic assessments and should not be used to measure change over time. For example, the Ages and Stages Questionnaire, which many home visiting programs use to screen for delays, is not appropriate for identifying changes in a child’s developmental trajectory or assessing program impacts.

The field needs a tool to capture change in one or more of the following developmental areas: cognitive and executive functioning, social and emotional development, language and literacy, physical and motor development, and self-help and adaptive behaviors.

Although researchers and program developers working with home visiting programs have led much of the work around determining parental capacity, those working within the broader early intervention and education fields have made the most robust progress in the area of child development assessments. Groups such as the federally sponsored Network of Infant and Toddler Researchers are engaged in active discussions about how to improve child development assessment and how to generate an appropriate tool for family support and other early education providers.

Enhancing data quality and utility

The data initiative identified the following key strategies for enhancing the quality and rigor of family support and coaching data. In some cases, these best practices exceed the minimum recommended measures captured in the indicators.

Strategies for strengthening rigor

Collect data at the participant level

Performance indicators aggregate participant-level data into summary statistics, but disaggregated participant-level data can also provide a valuable opportunity for in-depth analysis. By collecting these data, states build a more robust database that can be used to analyze critical nuances, such as which types of participants benefit most from home visiting programs. Furthermore, states can combine participant-level data across programs to discover trends not identified by the individual programs.

Participant-level data are already typically collected at the program or site level for internal performance monitoring and quality improvement purposes, so a state requirement should not place any additional burden on family support providers.

Collect basic, raw data

Collecting details such as scores, number of incidents, and incident dates provides multiple angles from which to analyze, interpret, and report. Raw, unprocessed data offer more flexibility and opportunities for responding to a broad array of questions about a state's family support and coaching system without creating an additional data collection burden.

 States can combine participant-level data across programs to discover trends."

These data also can help assess a variety of program elements, from the timeliness of screenings to whether child maltreatment reports declined following intervention. For example, beyond recording only whether a screening was performed—a yes or no question—capturing specific scores, such as from maternal depression screenings, can provide contextual information about the broader population and its needs.

Measure at least 2 points in time for outcome indicators

Collecting data at two or more points in time allows for comparisons and provides the opportunity to show improvement and change over time. Moreover, measuring indicators at multiple times offers insight into required program dosage, or the number of visits necessary to yield a desired result. States will be able to determine relationships between the number of home visits and observed outcomes.

For many of the recommended indicators, one pre- and one post-home visiting measurement is sufficient, but other indicators should be measured more frequently. For instance, states might assess maternal smoking at enrollment and then six, 12, and 18 months later to capture changes in behavior.

Determine dosage or threshold

States should only measure outcomes for participants who received at least a minimum “dose” of family support and coaching services that is sufficient to influence the targeted outcome. The data initiative did not recommend specific service thresholds or minimum dosages for the indicators because states need to examine their own data to understand how many visits or weeks or months of services are necessary to affect outcomes. States can use participant-level data and program enrollment dates to determine the thresholds that make sense for each indicator based on state-specific information. These dosages may vary based on differences in the characteristics of home visiting participants and the array of available service models. For example, a program that focuses on prenatal and infant visits may require greater intensity and frequency than one serving 3- and 4-year-olds.

Use valid and reliable measurement tools

Two of the data initiative’s indicators—child development screening and maternal depression screening—require the use of screening and assessment instruments. These indicators will only be meaningful if the instruments used are reliable and valid. A reliable instrument measures an indicator consistently across time, individuals, and situations. A valid tool accurately captures the indicator it is intended to measure. Both reliability and validity can be assessed statistically. In the case of the child development screening indicator, the data initiative specifies employment of the Ages and Stages Questionnaire, which has strong evidence of its reliability and validity across diverse populations.

Construct a comparison group of families that did not receive home visiting

Although tracking indicators over time will produce useful information about the performance of family support and coaching systems, it does not reveal whether outcomes are directly attributable to program participation. The most scientifically rigorous way to determine causality is to conduct a randomized control trial in which eligible families are randomly grouped, with one group assigned to receive home visiting and the other not offered home visiting services. Then the outcomes of both groups are compared.

Unfortunately, randomized trials are frequently costly and impractical. To assess the impact of home visiting programs without the significant investments of dollars and time, states can use various data sources to create comparison groups, such as data from administrative databases, state or national surveys, or Medicaid.

Conclusion

Investing in high-quality family support and coaching programs, adopting performance indicators, and relying on credible data will help states accurately measure the outcomes of their home visiting programs. Using this assessment framework will ensure that such programs provide effective early intervention for vulnerable young families and achieve the strongest results.

Appendix: Indicator tables

Maternal Health and Achievement: Maternal Depression Screening and Referral	
Indicator	Percent of mothers participating in home visiting who are referred for follow-up evaluation and intervention as indicated by depression screening with a validated tool.
Operational definition	<i>Type of measure:</i> Process
	<i>Population:</i> Mothers participating in a home visiting program (prenatally and following birth).
	<i>Numerator:</i> Number of mothers participating in home visiting who received a maternal depression screening using a validated tool that indicated the need for referral and who were referred for follow-up evaluation and intervention.
	<i>Denominator:</i> Number of mothers participating in home visiting who received a maternal depression screening with a validated tool and whose screening results indicated the need for a referral.
Definition of improvement	Increase over time in the proportion of participating mothers who are screened for maternal depression and receive indicated referrals.
Data source	Program data—screening results.
Measurement tool	Several validated depression-screening tools are in widespread use, including the Edinburgh Postnatal Depression Scale, the Postpartum Depression Screening Scale, and the Patient Health Questionnaire.
Reliability/validity	Varies with selected depression-screening tool.
Data collection	<ul style="list-style-type: none"> • Data are collected when screening is performed. • Data linkage between programs and the state home visiting data system is performed at least annually. • Conduct a 3-step process to measure the percent of: <ol style="list-style-type: none"> 1. Mothers participating in home visiting who are screened. 2. Those screened for whom referrals are indicated. 3. Those for whom a referral is indicated who receive one.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Collect actual scores from the screening whenever feasible. • Consider measuring the percent with completed referrals and changes in depression status as part of focused quality improvement, research, and/or evaluation efforts. • Consider recommending a common, validated, statewide depression-screening tool for use across home visiting programs and/or models. • Measure at 2 or more points in time (e.g., prenatal and postpartum periods; intake and discharge). • For women already in depression treatment, a referral would not be indicated, but these women should be included in efforts to measure changes in depression status. • Augment with quality improvement measures developed by the Home Visiting Collaborative Improvement and Innovation Network (http://hv-coiin.edc.org) (e.g., percent of women referred to services with one or more evidence-based service contacts, percent of women with improvement of depressive symptoms).

Maternal Health and Achievement: Postpartum Health Care Visit

Indicator	Percent of mothers enrolled in home visiting prenatally or within 30 days of giving birth who receive a postpartum visit with a health provider within 2 months (60 days) following birth.
Operational definition	<i>Type of measure:</i> Process
	<i>Population:</i> Mothers enrolled in home visiting prenatally or within 30 days of giving birth.
	<i>Numerator:</i> Number of mothers enrolled in home visiting prenatally or within 30 days of giving birth who completed a postpartum visit with a health provider within 2 months (60 days) following birth.
	<i>Denominator:</i> Number of mothers enrolled in home visiting prenatally or within 30 days of giving birth who are at least 2 months (60 days) postpartum.
Definition of improvement	Increase over time in the receipt of timely, postpartum health care visits within 2 months following birth.
Data source	Program data—participant self-report is confirmed by medical records when possible.
Measurement tool	N/A
Reliability/validity	Validated questions are available from several national survey instruments.
Data collection	<ul style="list-style-type: none"> • Data are collected during home visits in the first 3 months following birth. • Data linkage between programs and the state home visiting data system is performed at least annually.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Consider using a standardized question from the Pregnancy Risk Assessment Monitoring System (PRAMS) (http://www.cdc.gov/prams/pdf/phase-7-core-questions-508.pdf) or another survey. • Use opportunities to compare data on home visiting participants with those from Medicaid, health plans, PRAMS, or other sources. • Consider measuring annual well-woman visits for home visiting programs that continue over a period of years.

Maternal Health and Achievement: Interbirth Interval

Indicator	Percent of mothers participating in home visiting before the target child is 3 months old who have an interbirth interval of at least 18 months.
Operational definition	<i>Type of measure:</i> Outcome
	<i>Population:</i> Mothers participating in home visiting before the target child is 3 months old.
	<i>Numerator:</i> Number of mothers participating in a home visiting program before the target child is 3 months old who had an interbirth interval of at least 18 months.
	<i>Denominator:</i> Number of mothers participating in a home visiting program before the target child is 3 months old.
Definition of improvement	Increase over time in the proportion of participating mothers with interbirth intervals of at least 18 months.
Data source	Administrative data—birth certificates
Measurement tool	N/A
Reliability/validity	N/A
Data collection	<ul style="list-style-type: none"> • Data are collected on the dates of birth for the target population. • Data linkage between vital statistics and the state home visiting data system is performed at least annually.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Use opportunities to compare data on home visiting participants with those from Medicaid, health plans, PRAMS, vital statistics, or other sources. • Measure longer intervals such as 24 or 36 months or consider measuring average interbirth intervals.

© 2015 The Pew Charitable Trusts

Maternal Health and Achievement: Maternal Educational Achievement

Indicator	Percent of mothers who entered home visiting without high school or GED completion who have enrolled in or completed high school or the equivalent.
Operational definition	<i>Type of measure:</i> Outcome
	<i>Population:</i> Mothers participating in home visiting.
	<i>Numerator:</i> Number of mothers who enter the program without a high school diploma or GED certificate who are either still enrolled in school or a GED program or who have successfully completed high school or received a GED certificate.
	<i>Denominator:</i> Number of mothers who enter a home visiting program without high school or GED completion.
Definition of improvement	Increase in the percentage of mothers who entered home visiting without high school or GED completion who have subsequently enrolled in or completed high school or the equivalent.
Data source	Program data—participant self-report
Measurement tool	N/A
Reliability/validity	N/A
Data collection	<ul style="list-style-type: none"> • Data are collected at entry into home visiting and at periodic visits thereafter, as well as at program exit. • Data linkage between programs and the state home visiting data system is performed at least annually.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Consider separate analyses for GED completion and high school graduation. • Consider the use of a validated question from the Behavioral Risk Factor Surveillance System (http://www.cdc.gov/brfss/questionnaires/pdf-ques/2013%20brfss_english.pdf). • For participants who have already attained high school or GED completion, states may additionally choose to measure enrollment or retention in work training, 2- and 4-year college degree programs, and/or increase in employment (e.g., hours or wages).

Child Health, Development and Safety: Child Development Screening and Referral

Indicator	Percent of children participating in home visiting who are referred for follow-up evaluation and intervention as indicated by developmental screening with the Ages and Stages Questionnaire (ASQ).
Operational definition	<i>Type of measure:</i> Process
	<i>Population:</i> Children participating in home visiting.
	<i>Numerator:</i> Number of children participating in home visiting who received developmental screening using the ASQ that indicated the need for referral and who were referred for follow-up evaluation and intervention as indicated.
	<i>Denominator:</i> Number of children participating in home visiting who received a developmental screening with the ASQ and whose screening results indicated the need for referral.
Definition of improvement	Increase over time in the rate of screening and indicated referrals.
Data source	Program data—ASQ screening results.
Measurement tool	Ages and Stages Questionnaire (http://www.brookespublishing.com/resource-center/screening-and-assessment/asq/asq-3/)
Reliability/validity	The ASQ has reported internal consistency and concurrent validity to screen for developmental problems in the general population of children from birth to 5 years (http://agesandstages.com/wp-content/uploads/2015/02/asq3_concurrent_validity.pdf ; http://www.ncbi.nlm.nih.gov/pubmed/24041814 ; http://pediatrics.aappublications.org/content/131/5/e1468).
Data collection	<ul style="list-style-type: none"> • Data are collected at the time of screening. • Data linkage between programs and the state home visiting data system is performed at least annually. • Conduct a 3-step process to measure the percent of: <ol style="list-style-type: none"> 1. Children participating in home visiting who are screened with the ASQ. 2. Those screened for whom referrals are indicated. 3. Those for whom a referral is indicated who receive one.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Consider measuring completed referrals or follow-up interventions as part of quality improvement, research, or evaluation. • Collect actual ASQ scores (instead of adopting a pass or fail approach) and use the ASQ-recommended cutoff to determine whether referral is indicated, not a score set by the state or a program. • Collect data at multiple points in time; however, because this is a screening and not a diagnostic evaluation, use caution in reporting change over time. • Use opportunities to compare data on home visiting participants with those from Medicaid, health providers, early care and education, early intervention, child health surveys, or other sources. • States may choose to collect data regarding the ASQ: Social Emotional as well as the ASQ, to screen for social-emotional risks and concerns. • Augment with quality improvement measures developed by the Home Visiting Collaborative Improvement and Innovation Network (e.g., percent of children with parental concerns about development, percent of children referred to early intervention and deemed eligible).

Child Health, Development and Safety: Child Maltreatment

Indicator	Percent of children participating in a home visiting program reported for child abuse and neglect.
Operational definition	<i>Type of measure:</i> Outcome
	<i>Population:</i> Children participating in home visiting.
	<i>Numerator:</i> Number of children participating in home visiting with a reported case of child maltreatment following enrollment in the program.
	<i>Denominator:</i> Number of children participating in home visiting.
Definition of improvement	Decrease over time in the rate of reported child maltreatment among children who participate in home visiting.
Data source	Linkage of home visiting program data to child protective services administrative data at least annually.
Measurement tool	N/A
Reliability/validity	N/A
Data collection	Data are collected by child protective services.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Use a uniform exposure period (e.g., number of children reported within 3 years following program enrollment). Also, aim to extend the follow-up period as long as possible (research indicates that positive impacts on child maltreatment rates may not be evident in the near term). • Consider tracking the dates of all reports involving the target population, along with the type(s) of child maltreatment (e.g., abuse, neglect) reported, as research suggests that home visiting may reduce repeat reports, but not necessarily initial reports, and that it may be more effective at reducing some types of maltreatment than others. • Although substantiated child maltreatment reports are limited as a stand-alone measure, states may also wish to report the percentage of children participating in home visiting who are the subjects of 1 or more substantiated child maltreatment reports. • Consider using a comparison group to determine if the proportion of participants with subsequent child maltreatment reports is comparable to a similar group of parents of young children who were not enrolled in home visiting. Maltreatment rates may be inflated for participants because of better detection by home visitors. Control for this bias by tracking the number of reports filed by the home visitor.

Child Health, Development and Safety: Well-Child Visits

Indicator	Percent of children participating in home visiting who received their last recommended visit based on the American Academy of Pediatrics' "Bright Futures" schedule.
Operational definition	<i>Type of measure:</i> Process
	<i>Population:</i> Children participating in home visiting.
	<i>Numerator:</i> Number of children participating in home visiting who received their last recommended well-child visit since enrollment, based on the American Academy of Pediatrics' "Bright Futures" schedule.
	<i>Denominator:</i> Number of children participating in home visiting.
Definition of improvement	Increase over time in the proportion of participating children who receive their last recommended well-child visit.
Data source	Program data—parent report to home visitor is confirmed by medical records when possible.
Measurement tool	Recommended visit schedule is available at https://www.aap.org/en-us/Documents/periodicity_schedule_oral_health.pdf .
Reliability/validity	N/A
Data collection	<ul style="list-style-type: none"> • Data are collected at the time of home visits. • Data linkage between programs and the state home visiting data system is performed at least annually.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Question is ideally asked at each visit. • Consider use of a validated, standardized question from the National Child Health Survey (http://www.cdc.gov/nchs/data/slraits/2011NSCHQuestionnaire.pdf) or another national survey. • Use opportunities to compare data on home visiting participants with those from Medicaid, health plans, pediatricians, child health surveys, or other sources. • Note that there are 6 infant visits outside the birth hospital. An additional 7 visits are recommended before the 5th birthday. The American Academy of Pediatrics recommends catching up at any point, so that the content of missed visits can be provided as soon as possible.

Child Health, Development and Safety: Maternal Smoking or Tobacco Use


Indicator	Percent of mothers participating in home visiting who quit smoking or tobacco use following program enrollment.
Operational definition	<i>Type of measure:</i> Outcome
	<i>Population:</i> Mothers participating in home visiting who smoked or used tobacco at enrollment
	<i>Numerator:</i> Number of mothers participating in home visiting who quit smoking or tobacco use.
	<i>Denominator:</i> Number of mothers participating in home visiting who smoked or used tobacco at enrollment.
Definition of improvement	Decrease over time in the proportion of mothers participating in home visiting who smoke or use tobacco.
Data source	Program data—participant self-report.
Measurement tool	N/A
Reliability/validity	N/A
Data collection	<ul style="list-style-type: none"> • Data are collected by a home visitor. • Data linkage between programs and the state home visiting data system is performed at least annually.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Measure current smoking and/or tobacco use at multiple points in time: the prenatal period, postpartum at 2 months (if applicable), and/or annually thereafter; or at enrollment and exit from home visiting. • Consider collecting data at subsequent intervals. • Consider using a validated question about smoking from PRAMS (http://www.cdc.gov/prams/pdf/phase-7-core-questions-508.pdf), the National Health Interview Survey (http://www.cdc.gov/nchs/data/nhis/tobacco/1997_forward_tobacco_questions.pdf), or the Behavioral Risk Factor Surveillance System (http://www.cdc.gov/brfss/questionnaires/pdf-ques/2013%20brfss_english.pdf). • Consider counting the number of cigarettes smoked over a given period of time in order to measure reduced tobacco use in addition to quit rate. • This measure does not include e-cigarettes because federal guidelines are pending.

Parental Skills and Capacity: Breastfeeding

Indicator	Percent of mothers enrolled in home visiting during pregnancy who initiate and continue breastfeeding for at least 3 months.
Operational definition	<i>Type of measure:</i> Outcome
	<i>Population:</i> Mothers enrolled in home visiting during pregnancy who give birth to a live infant.
	<i>Numerator:</i> Number of mothers enrolled in home visiting during pregnancy who initiate and continue breastfeeding for at least 3 months. <i>Denominator:</i> Number of mothers enrolled in home visiting during pregnancy who give birth to a live infant.
Definition of improvement	Increase over time in breastfeeding initiation and continuation through 3 months.
Data source	Program data— participant self-report and home visitor observation.
Measurement tool	Questions are available in PRAMS, the National Health and Nutrition Examination Survey, the National Immunization Survey, and other national surveys. For more regarding breastfeeding measurement, the following resources are suggested: http://www.cdc.gov/breastfeeding/data/ http://www.cdc.gov/breastfeeding/pdf/2014breastfeedingreportcard.pdf http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4209171/
Reliability/validity	N/A
Data collection	<ul style="list-style-type: none"> • Data are collected by a home visitor. • Data linkage between programs and the state home visiting data system is performed at least annually.
Suggestions for improving data quality and utility	<ul style="list-style-type: none"> • Consider measuring breastfeeding initiation using birth certificate or program data. • For program data collection, consider use of a PRAMS survey question (http://www.cdc.gov/prams/pdf/phase-7-core-questions-508.pdf). • Consider measuring exclusive breastfeeding. • Consider measuring breastfeeding for duration(s) longer than 3 months (e.g., 6 months or 1 year) or consider measuring average duration of breastfeeding. • Augment with quality improvement measures developed by the Home Visiting Collaborative Improvement and Innovation Network (e.g., percent of women who report intention to breastfeed, percent who initiate breastfeeding, percent of women exclusively breastfeeding at 3 or 6 months).

Endnotes

- 1 "Home Visiting Evidence of Effectiveness," U.S. Department of Health and Human Services, accessed Aug. 21, 2015, <http://homvee.acf.hhs.gov/>.
- 2 Robert T. Ammerman et al., "Maternal Depression in Home Visiting: A Systematic Review," *Aggression and Violent Behavior* 15 (2010): 191-200, doi:10.1016/j.avb.2009.12.002.
- 3 Robert T. Ammerman et al., "Moving Beyond Depression: A Collaborative Approach to Treating Depressed Mothers in Home Visiting Programs," *Zero to Three* 34 (May 2014): 12-19, <http://www.zerotothree.org/zttjournal/article/34-5-ammerman-for-rr.pdf>.
- 4 "Technical Assistance Resource," Centers for Medicare & Medicaid Services, last updated February 2015, <http://www.medicaid.gov/medicaid-chip-program-information/by-topics/quality-of-care/downloads/strategies-to-improve-postpartum-care.pdf>.
- 5 Casey Copen, Marie Thoma, and Sharon Kirmeyer, "Interpregnancy Intervals in the United States: Data From the Birth Certificate and the National Survey of Family Growth," *National Vital Statistics Reports* 64, no. 3 (2015): 1-11, http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64_03.pdf.
- 6 "Tobacco Use and Pregnancy," Centers for Disease Control and Prevention, last modified Aug. 5, 2014, https://www.aap.org/en-us/Documents/periodicity_schedule_oral_health.pdf.
- 7 Stephan Arenz et al., "Breast-feeding and Childhood Obesity—A Systematic Review," *International Journal of Obesity and Related Metabolic Disorders* 28 (2004):1247-56, doi:10.1038/sj.ijo.0802758; Wendy H. Oddy, "A Review of the Effects of Breastfeeding on Respiratory Infections, Atopy, and Childhood Asthma," *The Journal of Asthma* 41, no. 6 (2004): 605-21, doi: 10.1081/JAS-200026402; Richard M. Martin et al., "Breast-feeding and Childhood Cancer: A Systematic Review with Metaanalysis," *International Journal of Cancer* 117, no. 6 (2005): 1020-1031, doi: 10.1002/ijc.21274; T. Kue Young et al., "Type 2 Diabetes Mellitus in Children: Prenatal and Early Infancy Risk Factors Among Native Canadians," *Archives of Pediatrics & Adolescent Medicine* 156, no. 7 (2002):651-655, doi: 10.1001/archpedi.156.7.651.
- 8 Maria A. Quigley et al., "Breastfeeding is Associated with Improved Child Cognitive Development: A Population-Based Cohort Study," *The Journal of Pediatrics* 160, no. 1 (2012): 25-32, doi: 10.1016/j.jpeds.2011.06.035; and M.S. Kramer et al., "Breastfeeding and Child Cognitive Development: New Evidence From a Large Randomized Trial," *Archives of General Psychiatry* 65, no. 5 (2008): 578-584, doi:10.1001/archpsyc.65.5.578.



THE
PEW
CHARITABLE TRUSTS

